

MATERIAL SAFETY DATA SHEET

Product name	any Identification LIQUID EPOXY RESIN			
Synonyms	-			
Chemical Formula	<u> </u> -			
Product Codes	EP 100			
	l			
2. Composition / Info	rmation on	Ingredients		
Ingredient		CAS Number	Percent (by weight)	
Alkyl(C12-C14) glycidyl e	ether	68609-97-2	17-20%	
Epoxy Resin		25068-38-6	80-83%	
3. Hazards Identificat	tion			
Emergency Overview				
Adverse Human Health Effects	Cause e		ause central nervous system	
Environmental Effects				
Physical and Chemical Hazards				
Specific Hazards				
4. First-Aid Measures	3			
Inhalation	immedia	Get medical aid immediately. Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathin is difficult, give oxygen.		
Ingestion				
Skin Contact		Immediately flush skin with water for at least 15 minutes and Get medical aid immediately		
		tely flush eyes with plently o	of water for at least 15 minutes or persists .	
		•	•	

5	Fire-F	-io	htina	M	easures
J.	I 11 C-1	ЦŲ	ii iuii iy	IV	leasules

Protection of First-

Notes to Physician

aiders

Extinguishing Media	foam, powder, CO2
Fire and Explosion Hazards	
Special Firefighting Procedures	
Special Equipment for the	Use a positive-pressure self-contained

Protective clothes and glasses



Protection of Firefighters breathing a chemicals.		apparatus and full protective	e clothing for			
6. Accidental Re	elease	e Measur <u>es</u>				
			equate personal protective equipment.			
		Ventilate area				
<u> </u>		Contain spills with ea	spills with earth, sand, or similar stable, non-combustible			
7. Handling and	Stora	age				
Handling	Keep	material away from s	parks, flames, and other ig	gnition sources.		
Storage	Store	in cool, dry, well-ven	tilated area			
B. Exposure Cor	ntrols	/ Personal Protec	ction			
Engineering Measo	ure	prevent	ne outside. Treatment of extended in the control of extended in the control of th	xhaust emission to		
Control parameters	S	Limit valuesBiological St				
Equipment		 Respiratory Hand Protection Polyvinyl alouting Eye Protection Skin and Bo 	 Hand Protection: Chemical resistant gloves. (Butyl rubber, Polyvinyl alcohol) Eye Protection: wear safety goggles 			
Specific Hygiene Wash ha Measures		Wash hand before e	n hand before eating and drinking.			
9. Physical and	Chen	nical Properties				
Physical State	liq	uid	Form	liquid		
Color		olorless to slight llow	Odor	Mild aromatic odor		
pН	N/	1	Boiling Point/Boiling Range	NA		
Decomposition Temperature	N.A		Flash Point & Method Used	180°C (CLOSED CUP)		
Auto Ignition Temperature	N.A	1	Explosion Properties	No information available		
Vapor pressure	NE)	Vapor density	NA		
Density	1.1	12-1.16(H2O=1)	Solubility	Insoluble		



10. Stability and Rea	ctivity		
Stability Stability	Juvity	Stable under normal conditions.	
Possible Hazardous Reactions Occurring under Specific Conditions		NA NA	
Conditions to Avoid		Keep away from sources of ignition, heat, high temperture.	
Materials to Avoid		Strong oxidizing agents, strong alkalies and strong acids.	
Hazardous Decomposition Products			
11. Toxicological Info	ormatio	n	
Acute toxicity	ND		
Local effects			
Sensitization			
Chronic Toxicity or Long Term Toxicity			
Specific effects	No Dat	ta Available	
12. Ecological Inform	ation		
Possible Environmental Behavior and Fate	Effects,	Leakage will cause environment pollution	
13. Disposal Conside	erations	3	
Recommended Methods for Safe and Environmentally Preferred Disposal		Disposal by controlled incineration in a properly equipped facility may be acceptable. Review federal, provincial and local government requirements perior to disposal.	
14. Transport Inform	ation		
International regulations			
UN classification numbe	r		
Specific Precautionary Transport Measures and Conditions			
15. Regulatory Inforr	nation		
Applicable Regulations			
10 Other Life			
16. Other Information			
NFPA Ratings	 -		
Label Hazard Warning			
Hazard		SH/OSHA,Occupational Health Guidelines for Chemical ds,1981 Final Safety Data Sheet (of the raw material manufacture)	

ALL OF THE MSDS DATA ARE FOR REFERENCE ONLY. THE USERS SHOULD JUDGE THE USABILITY BY THEMSELVES